



OBSESSED WITH HIGH RESOLUTION

## Architectural Speaker VENTURA Outdoor Speakers



Serious sound quality outdoors demands KEF's Ventura outdoor speakers. On the patio, by the pool, or on your yacht, the Ventura range, includes four models - Ventura 6, Ventura 5, Ventura 5T, and Ventura 4. Every speaker in the range is UV resistant, IP65 certified, and built with a high impact ABS cabinet and a robust corrosion resistant aluminium bracket and grille system. They provide years of listening pleasure regardless of your latitude or longitude. Featuring an integrated mounting bracket with up to 180 degrees of lateral adjustment, optimum placement is simple.

Two additional brass threaded inserts on the rear of the enclosure provide even more mounting options. Because they're from KEF, you can be sure the Ventura range is voiced for clarity and impact specifically for an outdoor setting. All Ventura models feature a fluid cooled anodised aluminium dome tweeter which delivers smooth high frequency, and an injection moulded, low-distortion long throw woofer with rubber surround for deep, authoritative bass that is sure to pack a punch. Both drivers integrate flawlessly to deliver the sonic perfection KEF is famous for the world over.

The Ventura 5T, integrates 70V/100V multi-tap transformers, allowing multiple speakers to be powered simultaneously through one extremely long wire in a distributed line system. This saves on the cost of wiring and labour and avoids excessive power; making the Ventura 5T ideally suited to any outdoor installation.

Available in black or white finishes, KEF's Ventura blends unobtrusively with the décor – and with the slotted mounting bracket, the units are exceptionally easy to install.

### Key features

- High performance 'All Weather' outdoor speaker
- High power handling, fluid cooled, anodised aluminium dome tweeter
- Long-throw woofer with injection moulded cone and rubber surround
- IP65 certified, weather resistant, UV treated, high impact, sealed ABS composite enclosure
- Powder coated rust proof aluminium bracket and grille
- Ratcheting mounting bracket for up to 180-degree rotation
- Two 1/4 - 20 brass inserts included for use with aftermarket mounting brackets
- Selectable for 6Ω with tap settings at 70V (3.75W, 7.5W, 15W, 30W) or 100V (7.5W, 15W, 30W, 60W) operations
- Available in black and white finishes

### Applications

- Airports
- Car Parks
- Churches
- Offices
- Parks and Playgrounds
- Patios
- Poolside and Sports Grounds
- Private Clubs
- Schools
- Shopping Centres
- Yachts



## Specifications



Model		<b>Ventura 6</b>	<b>Ventura 5</b>	<b>Ventura 5T</b>	<b>Ventura 4</b>
Series		Ventura	Ventura	Ventura	Ventura
Nominal impedance		6Ω	6Ω	6Ω	6Ω
Sensitivity (2.83V/1m)		90dB	89dB	89dB	88dB
Frequency response (±6dB)		54Hz - 20kHz	60Hz - 20kHz	60Hz - 20kHz	75Hz - 20kHz
Crossover frequency		3kHz	3.8kHz	3.8kHz	3.5kHz
Drive units	LF	160mm (6.5in.)	130mm (5.25in.)	130mm (5.25in.)	115mm (4.5in.)
	HF	25mm (1in.)	25mm (1in.)	25mm (1in.)	19mm (0.75in.)
Recommended amplifier power		10 - 125 W	10 - 100 W	10 - 100 W	10 - 80 W
Transformer taps		—	—	70V: 3.75W, 7.5W, 15W, 30W 100V: 7.5W, 15W, 30W, 60W	—
Product external dimensions (H x W x D)	Cabinet only	300 x 226 x 219 mm (11.8 x 9 x 8.6 in.)	262 x 197 x 189 mm (10.3 x 7.75 x 7.4 in.)	262 x 197 x 189 mm (10.3 x 7.75 x 7.4 in.)	231 x 172 x 173 mm (9 x 6.75 x 6.8 in.)
	With bracket and knobs	300 x 226 x 263.5 mm (11.8 x 9 x 10.375 in.)	262 x 197 x 235 mm (10.3 x 7.75 x 9.25 in.)	262 x 197 x 235 mm (10.3 x 7.75 x 9.25 in.)	235 x 172 x 203.2 mm (9.25 x 6.75 x 8 in.)
Net weight		3.8kg (8.4lbs)	2.85kg (6.28lbs)	3.3kg (7.25lbs)	2.4kg (5.3lbs)
Operating temperature range		-40°C to 70°C (-40°F to 158°F)	-40°C to 70°C (-40°F to 158°F)	-40°C to 70°C (-40°F to 158°F)	-40°C to 70°C (-40°F to 158°F)
Certification		IP65	IP65	IP65	IP65
Finishes		Black, White	Black, White	Black, White	Black, White

Visit: [KEF.COM](https://www.kef.com) for more about KEF and its products.

KEF is registered trademarks. All text and image copyrights reserved.

KEF reserves the right, in line with continuing research and development, to amend or change specifications. E&OE.